

FP Series

Designed for secondary demolition, Hammer static Pulverizers can both break up reinforced concrete structures and separate the steel.

- All teeth and blades are exchangeable.
 - Exchangeable protections.
 - Cylinder fully protected from possible debris during demolition.
 - Wear parts are exchangeable on site.
 - Optional: speed valve.
 - Crusher designed and engineered to achieve high crushing force
- 8 Models for excavators with operating weight from 3 to 60 ton

HAMMEREUROPE.COM



STATIC PULVERIZER




FP Series

FP SERIES

Static pulverizer for secondary demolition:

- 8 Models for excavators with operating weight from 3 to 60 t

HAMMEREUROPE.COM



DATA SHEET

Model		FP03	FP06	FP11	FP15	FP20	FP25	FP30	FP40
	t lb	3/10 6600/22000	6/13 13200/28600	13/18 28600/39600	13/22 28600/48500	16/25 35200/55100	20/32 44092/70500	24/40 52900/88100	30/60 66100/132200
	kg lb	360 793	600 1322	1200 2645	1450 3196	2150 4739	2650 5842	2950 6503	3850 8487
	l/min gpm	20/70 5/18	40/100 10/26	140/180 36/47	140/200 36/52	200/250 52/66	200/300 52/79	220/300 58/79	350/450 92/118
	bar psi	250 3625	250 3625	300 4351	300 4351	300 4351	300 4351	300 4351	300 4351
A	mm inch	1280 50	1650 64	2000 78	2100 82	2500 98	2700 106	2800 110	2810 110.5
B	mm inch	400 15	510 20	660 25	680 26	850 33	875 34	950 37	1280 50
	mm inch	160 6.3	160 6	200 7	200 7	200 7	300 11	300 11	300 11
F1	t lb	90 198400	115 253500	155 341700	165 363700	180 396800	200 440900	245 540100	290 639300
F2	t lb	40 88100	50 110200	65 143300	70 154300	85 187300	85 174100	110 242500	140 308600
F3	t lb	25 55100	35 77100	50 110200	55 121200	60 132200	70 154300	85 187300	110 242500
Ø Max	mm inch	25 25	25 25	30 30	30 30	40 40	40 40	50 50	50 50

*All illustrations and numerical data in this catalog are purely indicative and subject to change at our discretion and without notice. We therefore reserve the right to modify them with a view to improving and continuously developing our product.

*Tutte le illustrazioni e i dati numerici in questo catalogo sono puramente indicativi e suscettibili di modifica, a nostra discrezione e senza preavviso. Ci riserviamo pertanto il diritto di modificarli nell'ottica del miglioramento e sviluppo costante del nostro prodotto.



Valvola di Velocizzazione
Speed Valve
Eilgangventil
Speed Valve
Valvula de Velocidad
Скоростной клапан



Intensificatore di potenza BOOSTER
Intensifier of power Booster
Drueckverstaerker Booster
Intensificateur de puissance BOOSTER
Multiplicador de potencia Booster
Интенсификатор давления



Peso attrezzatura
Equipment weight
Eigengewicht
Poids de l'outil
Peso del implemento
Вес оборудования

Rotazione continua 360°
360° rotation
360° Kontinuierliche Rotation
Rotation continue 360°
Rotación continua a 360°
Непрерывное вращение на 360°



Peso escavatore
Excavator weight
Baggergewicht
Poids du porteur
Peso Escavadora
Вес экскаватора

Portata olio della rotazione
Rotation oil flow capacity
Oelfluss der Rotation
Débit hydraulique rotation
Caudal de aceite necesario para la rotación



Peso escavatore - posto benna
Excavator weight - stick mounting
Baggergewicht - Loeffelstiehlmontage
Poids du porteur - au but du
Peso escavadora al segundo brazo
Вес экскаватора (Рукоять)

Pressione di esercizio rotazione
Rotation Pressure
Oeldruck der Rotation
Pression hydraulique rotation
Presión necesaria para la rotación
Давление ротации



Peso escavatore - posto braccio
Excavator weight - boom mounting
Baggergewicht - Baggerarmmontage
Poids machibe - montage a la place du
balancier
Peso escavadora al balancin

Pressione di esercizio escavatore
Excavator working pressure
Oeldruck der Bagger
Pression hydraulique excavateur
Presión de la Escavadora
Давление откр./закр. челюстей



F3

Forza in punta
Tip force
Schliesskraft auf die Spitze
Force à la pointe
Fuerza en punta
Мощность на наконечнике

Portata olio escavatore
Excavator oil flow capacity
Oelfluss der Bagger
Débit hydraulique excavateur
Caudal aceite de la Escavadora
Поток откр./закр. челюстей



Lunghezza lama
Steel blade length
Messerlaenge
Longuer couteau
Anchura cuchilla
Длина ножей